

# Product datasheet

Specifications



## Linergy DX 4P distribution block 63A - 4 modules - 24 holes quick connect bottom

04041

⚠ Discontinued on: 1 Nov 2020

⚠ Discontinued

### Main

Range	Linergy
Range Of Product	Prisma Plus System P Prisma Plus System G
Product Or Component Type	Distribution block
Product Name	Linergy DX
Range Compatibility	Prisma Prisma G Prisma Prisma P Prisma Prisma PH Prisma Pack 160 Prisma Prisma Pack 250
Product Compatibility	Spacial enclosures
Ip Degree Of Protection	IPxx B

### Complementary

Location Of Connection	Bottom
Mounting Support	DIN rail
Poles Description	4P
[Ue] Rated Operational Voltage	440 V AC
[Ui] Rated Insulation Voltage	500 V AC
[Uimp] Rated Impulse Withstand Voltage	6 kV
[Ie] Rated Operational Current	63 A at 40 °C
[In] Rated Current	63 A at 40 °C
Connections - Terminals	Supply: tunnel type terminal16 mm² (flexible) Supply: tunnel type terminal25 mm² (rigid) Distribution: spring terminal (phase) , 12 x 2.5...6 mm² (flexible) Distribution: spring terminal (phase) , 12 x 2.5...6 mm² (rigid) Distribution: spring terminal (neutral) , 12 x 2.5...6 mm² (flexible) Distribution: spring terminal (neutral) , 12 x 2.5...6 mm² (rigid)
9 Mm Pitches	8
Total Number Of 18 Mm Modules	4
Net Weight	0.29 kg

### Environment

Pollution Degree	3
Resistance To Incandescent Wire	960 °C conforming to IEC 60695-2-11

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Standards	IEC 60947-7-1
	IEC 61439-2
	IEC 61439-1
Product Certifications	ASEFA

## Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	7.6 cm
Package 1 Width	8 cm
Package 1 Length	10.4 cm
Package 1 Weight	316 g

## Contractual warranty

Warranty	18 months
----------	-----------

## Sustainability





**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)

## Well-being performance

	Reach Free Of Svhc	
	Toxic Heavy Metal Free	
	Mercury Free	
	Rohs Exemption Information	Yes
Reach Regulation		<a href="#">REACH Declaration</a>
Eu Rohs Directive		Compliant <a href="#">EU RoHS Declaration</a>
China Rohs Regulation		<a href="#">China RoHS declaration</a> Pro-active China RoHS declaration (out of China RoHS legal scope)
Weee		The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins