Product datasheet

Specifications



hour counter - mechanical 7 digit display - 12..36 VDC

15609

Main

Range	PowerLogic
Device Short Name	СН
Product Or Component Type	Hour counter
Range Compatibility	Prisma Prisma P door Prisma Prisma G door
Type Of Measurement	Operating time
Display Type	Electromechanical 7 digit(s), number of decimal = 2

Complementary

Reset	Without
[Us] Rated Supply Voltage	1236 V DC
Power Consumption In Va	0.02 VA at 12 V 0.3 VA at 36 V
Mounting Support	Front face

Environment

Ip Degree Of Protection	Front face: IP65
Width	48 mm
Height	48 mm
Depth	39 mm

Packing Units

Unit Type Of Package 1	PCE
Number Of Units In Package 1	1
Package 1 Height	5.6 cm
Package 1 Width	6.2 cm
Package 1 Length	6.4 cm
Package 1 Weight	60.0 g
Unit Type Of Package 2	S03
Number Of Units In Package 2	96
Package 2 Height	30.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm

Package 2 Weight

Contractual warranty

Warranty

18 months

Sustainability

Green PremiumTM label is Schneider Electric's commitment to delivering products with best-inclass environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO₂ products.

Guide to assessing product sustainability is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

Learn more about Green Premium >

Guide to assess a product's sustainability >

Well-being performance

Reach Free Of Svhc	
V Toxic Heavy Metal Free	
Mercury Free	
Rohs Exemption Information	Yes
Reach Regulation	REACh Declaration
Eu Rohs Directive	Compliant EU RoHS Declaration
China Rohs Regulation	China RoHS declaration
Weee	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins